



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 1, 2023 Revision: January 1, 2023

1 Identification

· Product identifier

· Trade name: Hard Coat 100 Slow, B-Side

· Other means of identification:

100% Solids Polyaspartic.

Slow Blend.

- · Recommended use and restriction on use
- · Recommended use: Coating
- · Restrictions on use: See Sections 8 and 10 for further information.
- · Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Advanced Resins

- ·11530 Chairman Dr, Dallas, TX 75243
- ·Phone: (972) 293.4444
- ·Email: hello@advancedresins.com
- ·www.advancedresins.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

· Signal word: Warning

· Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements:

P261 Avoid breathing mist, vapors, or spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

(Cont'd. on page 2)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 1, 2023 Revision: January 1, 2023

Trade name: Hard Coat 100 Slow, B-Side

(Cont'd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards

0 % of the mixture consists of component(s) of unknown toxicity.

There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:			
	Trade Secret Modified Amine	>80%	
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317		
623-91-6	diethyl fumarate	<5%	
	Acute Tox. 4, H302		

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air: consult doctor in case of complaints.
- · After skin contact:

Do not pull solidified product away from the skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eve contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Coughing

Allergic reactions

Irritant to skin and mucous membranes.

Causes eye irritation.

(Cont'd. on page 3)



Page: 3/9

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 1, 2023 Revision: January 1, 2023

Trade name: Hard Coat 100 Slow, B-Side

(Cont'd. of page 2)

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Vomiting. Diarrhea.

- · Danger: Danger of gastric perforation.
- · Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

Contains Trade Secret Modified Amine, 4-chloro-α,α,α-trifluorotoluene. May produce an allergic reaction.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Water fog / haze

Foam

Carbon dioxide

Gaseous extinguishing agents

Fire-extinguishing powder

- · For safety reasons unsuitable extinguishing agents: Water spray
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective equipment as required.

· Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

(Cont'd. on page 4)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 1, 2023 Revision: January 1, 2023

Trade name: Hard Coat 100 Slow, B-Side

(Cont'd. of page 3)

Precautions for safe handling:

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

· Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

Store away from oxidizing agents.

Store away from metals.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- · Engineering controls: Use only outdoors or in a well-ventilated area.
- · Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

Use respiratory protection when grinding or cutting material.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:

(Cont'd. on page 5)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 1, 2023 Revision: January 1, 2023

Trade name: Hard Coat 100 Slow, B-Side

(Cont'd. of page 4)



Safety glasses

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment

Avoid release to the environment.

9 Physical and chemical properties Information on basic physical and chemical properties				
Form:	Viscous liquid.			
Color:	Amber colored			
· Odor:	Amine-like			
· Odor threshold:	Not determined.			
· pH-value:	Not determined.			
· Melting point/Melting range:	Not determined.			
· Boiling point/Boiling range:	Decomposes.			
· Flash point:	>93 °C (>199.4 °F)			
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
Decomposition temperature:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
· Oxidizing properties:	Non-oxidizing.			
· Vapor pressure at 20 °C (68 °F):	<1 mmHg			
· Density:				
Relative density at 25 °C (77 °	1.0-1.1 g/cm³ (8.35-9.18 lbs/gal)			
F): Vapor density:	Not determined.			
Evaporation rate:	Not determined.			
· Solubility in / Miscibility with				
Water:	Slightly soluble.			
· Partition coefficient (n-octanol/wate	er): Not determined.			
· Viscosity				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
· Other information	No relevant information available.			





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 1, 2023 Revision: January 1, 2023

Trade name: Hard Coat 100 Slow, B-Side

(Cont'd. of page 5)

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Strong exothermic reaction with acids.

Reacts with oxidizing agents.

Corrosive action on metals.

· Conditions to avoid

Avoid acids.

Store away from oxidizing agents.

· Incompatible materials

Strong acids

Oxidizing agents

· Hazardous decomposition products

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Ammonia

Hydrogen chloride (HCI)

Chlorine

Hydrogen fluoride

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

623-91-6 diethyl fumarate

Oral LD50 1780 mg/kg (rat)

- Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Irritating effect.
- · **Sensitization:** Sensitization possible through skin contact.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Inaestion.

Inhalation.

Eve contact.

Skin contact.

(Cont'd. on page 7)



Page: 7/9

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 1, 2023 Revision: January 1, 2023

Trade name: Hard Coat 100 Slow, B-Side

(Cont'd. of page 6)

- · Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes and skin.
- · Repeated dose toxicity: Repeated exposure may result in skin sensitivity.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity

The product contains materials that are harmful to the environment.

98-56-6 4-chloro-α.α.α-trifluorotoluene

EC50 (dynamic) 3.0 mg/kg (zebra fish)

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA

Not regulated.

(Cont'd. on page 8)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 1, 2023 Revision: January 1, 2023

Trade name: Hard Coat 100 Slow, B-Side

	(Cont'd. of page
 UN proper shipping name DOT, ADR, IMDG, IATA 	Not regulated.
· Transport hazard class(es)	
· DOT, ADR, IMDG, IATA · Class	Not regulated.
· Packing group · DOT, ADR, IMDG, IATA	Not regulated.
· Environmental hazards · Marine pollutant:	No
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency):

(Cont'd. on page 9)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 1, 2023 Revision: January 1, 2023

Trade name: Hard Coat 100 Slow, B-Side

(Cont'd. of page 8)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision November 15, 2017 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

LDLo: Lowest Lethal Dose Observed

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

Advanced Resins

11530 Chairman Dr, Dallas, TX 75243

Phone: (972) 293.4444

Email: hello@advancedresins.com

www.advancedresins.